

Reversible Plate

Compactors + Compass Compaction Meter

Ideally suited for civil engineering, construction and drainage contractors and the hire industry. They offer a high compaction capacity, travel speed and feature a full hydraulic reversing mechanism.





Reversible Plate

Compactors

Ideally suited for civil engineering, construction and drainage contractors and the hire industry. They offer a high compaction capacity, travel speed and feature a full hydraulic reversing mechanism.

FEATURES:

Hatz Diesel Engines (Subaru Petrol on mVH308GEN)

- 1. Cyclone Air Cleaners (Dual on MVH508)
- 2. Handle anti-vibration
- 3. Sturdy lifting frame
- 4. Variable speed controls
- 5. Enclosed belt guard
- 6. Fold-up handle
- 7. Large volume oil tank
- 8. Removable extension plates

OPTIONAL FEATURE:



COMPACTION METER

The new Mikasa 'Compass' compaction meter is a measuring and display system for continuous compaction control - located in clear view of the operator. Available on 308,408 & 508 Models.

PRODUCT RANGE:



MVH408



MVH508

DIGITAL DISPLAY

Hourmeter - allows accurate tracking of hours and maintenance intervals. Tachometer - displays engine RPM while in operation



Exclusively on diesel machines. Guarantees full throttle operation and maxmum compaction by eliminating midpoint RPM.



EASY SERVICE

Serviceability with easy access to all maintenance points.



CYCLONE AIR CLEANERS



ANTI-VIBRATION






VARIABLE SPEED CONTROLS



ENCLOSED BELT GUARD





REMOVABLE EXTENTION PLATES





Reversible Plate

Compactors

SPECIFICATIONS:



MVH308 Series

MODEL	PLATE SIZE W x L (mm)	PLATE SIZE with extensions W x L (mm)	CENT. FORCE (kN)	EXCITER SPEED VPM	MAX FWD. SPEED (m/min)	ENGINE MODEL	FUEL TYPE	START METHOD	HP RATING (hp)*	OPERATING WEIGHT (kg)
MVH308GEN	445 X 860	600 X 860	45	4,400	24	SUBARU EX27	PETROL	RECOIL	9	325
MVH308DSZN	445 X 860	650 X 860	45	4,400	24	HATZ 1B30	DIESEL	RECOIL / ELECTRIC	6.6	360
MVH308DSVN.PAS (Includes Compaction Meter)	445 X 860	650 X 860	45	4,400	24	HATZ 1B30	DIESEL	RECOIL / ELECTRIC	6.6	360



MVH408 Series

MODEL	PLATE SIZE W x L (mm)	PLATE SIZE with extensions W x L (mm)	CENT. FORCE (kN)	EXCITER SPEED VPM	MAX FWD. SPEED (m/min)	ENGINE MODEL	FUEL TYPE	START METHOD	HP RATING (hp)*	OPERATING WEIGHT (kg)
MVH408DSZN	500 x 900	650 X 900	55	4,400	25	HATZ 1B50	DIESEL	RECOIL / ELECTRIC	9	423
MVH408DSZN.PAS (Includes Compaction Meter)	500 x 900	650 X 900	55	4,400	25	HATZ 1B50	DIESEL	RECOIL / ELECTRIC	9	423



MVH508 Series

MODEL	PLATE SIZE W x L (mm)	PLATE SIZE with extensions W x L (mm)	CENT. FORCE (kN)	EXCITER SPEED VPM	MAX FWD. SPEED (m/min)	ENGINE MODEL	FUEL TYPE	START METHOD	HP RATING (hp)*	OPERATING WEIGHT (kg)
MVH508DSZN	500 X 900	650 X 900	65	4,150	25	HATZ 1D81S	DIESEL	RECOIL / ELECTRIC	11.9	536
MVH508DSZN.PAS (Includes Compaction Meter)	500 X 900	650 X 900	65	4,150	25	HATZ 1D81S	DIESEL	RECOIL / ELECTRIC	11.9	536

PARTS SERVICE:

We are proud of the back-up service we offer to customers. The importance of stocking genuine spare parts for all the equipment we supply is a high company priority.

AUCKLAND HEAD OFFICE

6-10 Parkway Drive, Mairangi Bay, Auckland Phone: (+64) 09 443 2436 Fax: (+64) 09 443 2435 Email: sales@yrco.co.nz

SOUTH ISLAND OFFICE

20 Nga Mahi Road, Sockburn, Christchurch Phone: (+64) 03 341 6923 Fax: (+64) 03 341 6955 Email: dalel@yrco.co.nz





