

Walk-behind Power Trowels


The world's number one selling trowels for over 70 years. High horsepower engines and excellent rotor coverage have made this trowel the favourite of concrete contractors.





Walk-behind Power Trowels

The world's number one selling trowels for over 70 years. High horsepower engines and excellent rotor coverage have made this trowel the favourite of concrete contractors.



FEATURES:

- 1 Access panel
- 2 Durable spider assembly
- 3 Tough, long lasting gearbox
- 4 Heavy-duty centrifugal clutch
- 5 Fully enclosed belt guard
- 6 Standard lifting bail

- 7 Optional QuickPitch™ blade adjustment
- 8 Safety shut-off switch
- 9 Height adjustable handlebar
- 10 Anti-vibration handle for operator comfort
- 11 Folding handle for transport

C-Series 24" (610 mm) Width Rotating Guard Ring

The C-Series trowel features a rotating guard ring to reduce manual labor while edging. It enables the operator to finish within 3/16" of obstructions. The high capacity gearbox delivers big machine performance in a small package.



J-Series 36" (914 mm) Width

The J-Series incorporates amazing balance, improved serviceability, and your choice of a Standard or QuickPitch[™] Handle, providing contractors with the ideal machine for residential and general construction work.

HD-Series 48" (1219 mm) Width Maximum Performance

The HD-Series is an extra-rugged, heavyduty power trowel designed and built for those tough jobs. Incorporating our HD gearbox and a specially tuned CVT drive system this trowel provides superior performance.







Get a grip on the best.

Our new antivibration handle design dramatically reduces the vibration transmitted to the operator. These height-adjustable handles will increase operator comfort and decrease fatigue over an eight hour day.

This feature is standard on both the QuickPitch™ and Standard knob handle.



QXH-Series QuickPitch™ handle

A patented spring-loaded design enables the operator to react rapidly to changing concrete conditions. Blade pitch is increased or decreased in 1/8" increments by moving the latching lever back and forth.



SXH-Series Standard handle

A favorite of contractors who prefer to have infinite blade pitch control. The large knob makes it easy to increase or decrease blade pitch to the desired angle.



PROUD TO BE 100% NEW ZEALAND OWNED & OPERATED



Walk-behind **Power Trowels**

MODEL

CA4MLE

MODEL

JS36.EX17

HP (KW)*

C-Series - 24-inch (610 mm) Rotating Guard Ring

6HP

HP (KW)*

J-Series - 36-inch (914 mm) Guard Ring

6HP

MOTOR

Subaru EX17

MOTOR

Subaru EX17

CLUTCH

CLUTCH

Manual

RPM

70-130

RPM

60-115

SPECIFICATIONS:





J-Series



MODEL HP (KW)* MOTOR CLUTCH RPM OPERATING WEIGHT KG HANDLE OPTIONS (SEE BELOW) B-Series - 46-inch (1170 mm) Guard Ring SXH standard BS46.EX35 12.5HP Subaru EX35 Centrifugal 90-155 113 (QXH option)

Centrifugal



MODEL	HP (KW)*	MOTOR	CLUTCH	RPM	OPERATING WEIGHT KG	HANDLE OPTIONS (SEE BELOW)
HD Series - 48-inch (1219 mm) Guard Ring						
HDA48413H	11.1 (8.2)	Honda	Variable Speed Clutch	35-225	148	QXHD Standard

HD-Series

PARTS SERVICE:

We are proud of the back-up service we offer to customers. The importance of stocking genuine spare parts for all the equipment we supply is a high company priority.



OPERATING WEIGHT KG

66

OPERATING

WEIGHT KG

86

HANDLE OPTIONS (SEE BELOW)

Includes folding

Handle

QuickPitch

HANDLE

OPTIONS (SEE BELOW)

SXH standard

(QXH option)

AUCKLAND

6-10 Parkway Drive, Mairangi Bay, Auckland Phone: (+64) 09 443 2436 Fax: (+64) 09 443 2435 Email: sales@yrco.co.nz

CHRISTCHURCH

20 Nga Mahi Road, Sockburn, Christchurch Phone: (+64) 03 341 6923 Fax: (+64) 03 341 6955 Email: saleschch@yrco.co.nz



